Suraksha, Behtar ElectriKAL ke liye!



LEADERS IN QUALITY LEADERS IN DEPENDABILITY



RESIDENTIAL & COMMERCIAL:

- Flame Retardant (FR) PVC Insulated Industrial Cables
- Flamegard Flame Retardant Low Smoke (FR-LSH) Industrial Cables
- Halogard Halogen Free Flame Retardent (HFFR) Industrial Cables
- Flexible Cables Single Core

COMMUNICATION CABLES:

- Co-Axial Cables
- Telephone Cables
- CCTV Cables
- Speaker Cables
- Lan Cables
- Optic Fiber Cables (HSN-9001)

AGRICULTURE:

- 3 Core Flat Cables
- PVC Insulated Winding Wires

AUTOMOBILE / SOLAR POWER:

- Auto Cables
- Solar Cables



High grade 99.97% pure bare copper conductor



Long life & highly durable cables





Abrasion Resistant grade sheath material








HSN - 9001 List Price wef. 22nd May 2021











High thermal rating to withstand extreme temperatures







List Price wef. 22nd May 2021

SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq mm)	List Price per 100 Mtr Rs.	Packing
16906011	4	7,800	STANDARD LENGTH OF 500 MTR
16907011	6	10,830	STANDARD LENGTH OF 300 MTR

Notes		
1. Prices	GST extra as applicable.	
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.	
3. Delivery	F.O.R. any station in India by road transport.	
4. Product Code	 The full product code is of 8 digits. For example : 22209014 = Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 = Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01=Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil. 	
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.	



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any of the above specifications without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.

When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.